

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	75431	((light adj emitting adj diode) led light\$4) and (power adj supply) and terminal\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/15 14:55
S2	11594	S1 and detect\$4 and voltage and impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/15 14:55
S3	331976	(automatic control) near3 (energy power)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/15 14:57
S4	5022	S2 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/15 14:57
S5	490	S4 and "340".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/15 14:58
S7	10639	automatic\$4 near4 power near3 (control adjustment)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/15 15:29
S8	3313	((340/815.45,693.1,458) or (324/414,403,600,602,605,606) or (307/18-20,24,31,32,34)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/15 15:59
S9	15	S7 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/15 15:59
S23	254	S10 S11 S12 S13 S14 S15 S16 S17 S18 S19 S20 S21	USPAT	OR	ON	2004/12/15 16:07
S24	219116	(led (light adj emitting adj diode))	USPAT	OR	ON	2004/12/15 16:08
S25	77	S23 and S24	USPAT	OR	ON	2004/12/15 16:08
S30	2868	((led light\$4) near3 control\$4) and identity	USPAT	OR	ON	2004/12/16 09:22
S31	2868	S30 and (identity identify)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/16 09:24
S32	997	S31 and ((power adj supply) (supply adj unit) (supply adj terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/16 09:25

S33	156	S32 and (power adj (adjust\$5 level))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/16 09:31
S36	6323	((340/815.45,458,333,907,908,286.02,636.16) or (315/291,307,82)). CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/16 09:43
S37	102	S36 and (supply adj unit) and power	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/16 09:43
S39	390	S36 and (identity identify)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/16 09:58
S40	325	S39 and (led light\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/16 10:54
S41	316	S40 and (power supply terminal unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/16 10:55
S42	203	S41 and (controller (control adj unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/16 10:55
S43	532	((led light\$4) adj unit) and ballast	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/16 13:43
S44	18	S43 and (power adj supply) and (supply adj unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/16 13:41
S47	190	S43 and (identi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/16 13:44
S48	168	S47 and (power control)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/16 13:44
S49	139	S48 and (adjust level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/16 13:45

S52	30250	(led).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/16 13:54
S53	305	S52 and ((led light\$5) adj3 (level control adjustment)) and (identi\$4 code\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/16 13:55
S54	208	S53 and (supply terminal\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/16 13:55
S58	5	(led light\$4) and (supply near terminal) and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/16 14:13
S59	5	S58 and (unique identification code identi\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/16 14:15